



Satisfy Professional's Needs

**Portable Cut-off**  
**LW1400 / LW1401 355mm (14")**

**Powerful**  
**Motor 2,200w**

Photo : LW1400

**Toolless replacement of  
abrasive cut-off wheel**  
(LW1400only)

**Large spark guard**

# High power Portable Cut-off



## Toolless adjustment of guide plate (LW1400 only)

allows for easy adjustment of the guide plate by simple handling

- 3 stage position change
- 0 to 45 degree angle adjustment



## Change of saw head locking device from chain lock to pin lock (LW1400 only)

makes it easier to lock down the saw head for storage and transport.



## Carry handle

for easy transport to job site



Shaft lock for easy replacement of abrasive cut-off wheel

Quick release vise




Photo : LW1400

Basic model LW1401

## ■ Cutting Capacity

Form of materials	Miter angle	
	0°	45°
	D: ø127mm (2")	D: ø127mm (2")
	H x W: 102 x 194mm (4" x 7-5/8") 70 x 233mm (2-3/4" x 9-1/8")	H x W: 115 x 103mm (4-1/2" x 4-1/16")
	H x W: 119 x 119mm (4-11/16" x 4-11/16")	H x W: 106 x 106mm (4-3/16" x 4-3/16")
	S x S: 137 x 137mm, T: 10mm (5-3/8" x 5-3/8", 3/8")	S x S: 100 x 100mm, T: 10mm (4" x 4", 3/8")

D: Diameter W: Width H: Height S: Side T: Thickness

## ■ Accessory

### Abrasive cut-off wheel

For all ferrous materials (Steel, cast iron) and other hard metals. These items are available on request. Contact us for the minimum order quantity.

Size (mm): 355x3x25.4  
Grit: A36P  
G.F.Q'ty: 1.0G

Per pkg.	Part No.
5	A-89545-5
25	A-89545-25
5	A-89953-5
5	B-10730-5
25	B-10730-25
5	B-10665-5
25	B-10665-25

### Double Reinforced Abrasive cut-off wheel

Size (mm): 355x3x25.4  
Grit: A30P  
G.F.Q'ty: 2.0G

Per pkg.	Part No.
5	B-16891-5
25	B-16891-25



Portable Cut-off	LW1400 / LW1401	355mm (14")	203
	Double Insulation		
<b>Standard Equipment :</b>	Abrasive Cut-Off Wheel, Socket Wrench (LW1401 only)		
<b>Continuous rating Input</b>	LW1400 2,200W LW1401 2,200W		
<b>Wheel diameter</b>	355mm (14")	355mm (14")	
<b>Hole dia.</b>	25.4mm (1")	25.4mm (1")	
<b>No load speed (rpm)</b>	3,800	3,800	
<b>Dimensions (L x W x H)</b>	530x295x640mm (20-7/8"x11-5/8"x25-1/4")	500x290x620mm (19-3/4"x11-3/8"x24-3/8")	
<b>Net Weight*</b>	17.0kg (37.5lbs)	16.6kg (36.6lbs)	
<b>Power supply cord</b>	2.5m (8.2ft)	2.5m (8.2ft)	

\*Weight according to EPTA-Procedure 01/2003

Items of standard equipment and specifications may vary by country or area.

## Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 201511