



# Cordless Upright Cleaner DVC560



## Ideal for carpet cleaning

18v + 18v → 36v



Low noise

**57** dB(A)

Low noise mode

Max air flow

**1.9** m<sup>3</sup>/min

Max Sealed Suction

**12** kPa







# Long run time




## High dust pick-up rate



4 rows of V-shaped bristle increase dust pick-up rate.



Suction power is even across the entire cleaning width due to the suction port located at the center.



vacuuming dust

rotating brushroll

## Two different BL motors

- One for vacuuming dust and the other for rotating brushroll
- Two motors are separately controlled according to the selected suction mode.

+

allows for use in noise-sensitive environments such as office, hospital and more.

# Low noise mode 57 dB(A)

Max mode: 67dB(A) / Normal mode: 64dB(A)



## Tool-less brushroll replacement

allows for quick maintenance.



## 4-stage brushroll height adjustment

4-stage manually adjustable to carpet pile length



**Stage 4**  
Long pile carpet



**Stage 1**  
Hard floor, Short pile carpet



**Continuous use on a full battery charge\***

|                                      |                                       |   |
|--------------------------------------|---------------------------------------|---|
| <b>Max</b><br>about<br><b>30</b> min | <b>High</b><br>about<br><b>60</b> min | <b>Low noise</b><br>about<br><b>120</b> min |
|--------------------------------------|---------------------------------------|---|

\*with BL1860B x2

One-touch 3-suction mode selection switch with mode memory function




**Expandable hose plus Removable aluminum pipe with integrated handle**

- You can clean in corners or confined spaces by using the pipe and hose, with the machine standing upright.
- When the machine is in the upright position, the brushroll automatically stops so as not to damage the carpet.



**Long sash nozzle set (On-tool storage)**



**Round brush set (On-tool storage)**



**Aluminum pipe**



- Convenient attachment for use with the removable aluminum pipe
- Can be stored on the machine.

**Indication panel**

3 mode  
3 Max / 2 Normal / 1 Low noise

Brushroll error lamp

Dust disposal warning lamp

Battery capacity warning lamp



**Filtration system: Paper dust bag (Non-woven cloth type)**

4-layer non-woven cloth filter

Dust capacity: **5L**

**HEPA filter**



**Main body able to tilt up to 90 degrees**

enables to clean in tight spaces under furniture, sofa, bed and more.



**Side brush**

The side brush is convenient for cleaning the corner of a wall.



**LED job light**

Convenient for cleaning in dark places




**Front bumper**

protects wall and furniture surfaces from scratches / damage.



**DVC560 has achieved a bronze CRI seal of approval**


Approval test performed by the Carpet & Rug Institute (USA) to evaluate the performance of vacuum cleaners for carpet and rug.



Expand Your Lithium Line Up

**Accessories**


**Long sash nozzle set**  
Part No. 191D65-8



**Round brush set**  
Part No. 191D67-4




**Brush complete set**  
Part No. 191D69-0



**Main filter h set**  
Part No. 191E39-5



**Filter bag set**  
10pcs. set  
Part No. 191D63-2



**Charging Time**

|                      | <b>DC18RD</b> | <b>DC18SH</b>  |
|----------------------|---------------|----------------|
| <b>BL1815N</b> 1.5Ah | <b>15 min</b> | <b>30 min</b>  |
| <b>BL1820B</b> 2.0Ah | <b>24 min</b> | <b>45 min</b>  |
| <b>BL1830B</b> 3.0Ah | <b>22 min</b> | <b>60 min</b>  |
| <b>BL1840B</b> 4.0Ah | <b>36 min</b> | <b>90 min</b>  |
| <b>BL1850B</b> 5.0Ah | <b>45 min</b> | <b>110 min</b> |
| <b>BL1860B</b> 6.0Ah | <b>55 min</b> | <b>130 min</b> |

**Cordless Upright Cleaner DVC560**

- Electronic 3-Speed
- Revolving Hose
- Built-in Job Light

|                                 |   |
|---------------------------------|---|
| <b>Capacity</b>                 | Dust: 5 L   |
| <b>Continuous Use (min.)</b>    | w/ BL1860B x2 Max / Normal / Low Noise: 30 / 60 / 120 |
| <b>Max Air Flow</b>             | 1.9 m <sup>3</sup> /min                               |
| <b>Max Sealed Suction</b>       | 12 kPa  |
| <b>Dust Pick-Up Rate</b>        | Max / Normal / Low Noise: 47 / 44 / 40                |
| <b>Cleaning Width</b>           | 318 mm  |
| <b>Brushroll Rotation Speed</b> | Max / Normal / Low Noise: 3,500 / 2,500 / 1,000 RPM   |
| <b>Vibration Level</b>          | 2.5 m/s <sup>2</sup> or less                          |
| <b>Sound Pressure Level</b>     | 70 dB(A) or less                                      |
| <b>Dimensions (L x W x H)</b>   | 326 x 318 x 1,146 mm (12-7/8 x 12-1/2 x 45")          |
| <b>Net weight</b>               | 8.3 - 9.0 kg (18.3 - 19.8 lbs.)                       |

**Standard Equipment :** Long Sash Nozzle, Round Brush, Filter Bag, Filter H, Filter Bag Set

The weight includes accessories (round brush, corner nozzle) and battery cartridge(s). The lightest and heaviest combination weight of the appliance and battery cartridge(s) are shown in the table. Items of standard equipment and specifications may vary by country or area.

**Makita Corporation**

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202010