



# Cordless Vacuum Cleaner

VC001GL / VC003GL Wet & Dry

VC002GL / VC004GL Airborne particles

VC005GL Dry (for building maintenance industry)



photo: VC003GL

photo: VC002GL

Low noise  
**46 dB(A)**  
 Dial mode: 1  
 Model: VC001GL

## For Cleaning

Wet & Dry



VC001GL

8L



VC003GL

15L



## For Dust Collecting

Airborne particles



VC002GL

8L



VC004GL

15L



## For Cleaning

Dry (for building maintenance industry)



VC005GL

8L





Excellent Vacuum performance equivalent to Corded models achieved by improving cooling efficiency against more heat generation from electrical parts due to the increased output power.



photo: VC003GL

Powered by 40Vmax XGT Li-Ion battery (two in parallel)

photo: VC001GL



Continuous use  
 Battery: BL4050F x2

**220min**  
 Dial mode: 1

**28min**  
 Dial mode: 5



Automatically switches to the second battery when the first battery runs out.


**For Cleaning**

Wet & Dry



Telescopic pipe with lock  
 VC001GL / VC003GL / VC005GL  
 (country-specific)

- A locking mechanism has been added to the connection of bending pipe and this pipe to prevent from falling off.
- Available in lightweight plastic and rigid aluminum




The lower profile makes it easier to clean under furnitures.  
 VC001GL / VC003GL / VC005GL  
 (country-specific)

**48 mm**



Mode switching lever  
 VC001GL / VC003GL / VC005GL  
 (country-specific)  
 Hard floor/carpet mode switchable



For hard floor

For carpet



photo: VC002GL



photo: VC005GL

## For Dust Collecting

Airborne particles

**HEPA filter** **BL MOTOR** **AWS** **GYPPA!** **XPT**



**VC002GL**  
8L




**VC004GL**  
15L

## For Cleaning

Dry (for building maintenance industry)

**BL MOTOR** **XPT**



**VC005GL**  
8L



### **AWS** Auto-start Wireless System VC002GL / VC004GL

The wireless activation function enables clean and comfortable operation. By connecting a supported tool to the cleaner, you can run the cleaner automatically along with the switch operation of the tool.



### New 8L tank VC005GL


- Compact tank reduces the overall height of the cleaner.
- Rear wheels attached to the tank have been increased in size to reduce the risk of the machine from tipping over and to enhance the stability of straight running.

Rear wheel size  
ø **120 mm**





**High Power  
Durability  
Digital Communication**



**Accessories**

**Filter for water set**

Model: VC001GL, VC003GL  
Part No. 191V67-2



**Damper set**

Model: VC002GL, VC004GL  
Part No. 191V68-0



**Pre filter set**

Model: VC002GL, VC004GL  
Part No. 191V69-8



**Powder filter H set**

Model: VC002GL, VC004GL  
Part No. 191V70-3



**Cloth filter set**

Model: VC001GL, VC003GL,  
VC002GL, VC004GL  
Part No.  
144625-1



Model: VC005GL  
Part No.  
191V71-1

**Poly bag set (10pcs)**

Part No. 195432-5



**Filter bag set 15L (5pcs)**

Part No. 195557-5



**MAKPAC adapter set**

Part No.  
198730-6 / 198599-8 (EU)



**Charging Time**

40V <sup>Li-ION</sup> max	Fast Charging	
	DC40RA	DC40RC
BL4020 2.0Ah	22 min	30 min
BL4025 2.5Ah	28 min	38 min
*1BL4040 4.0Ah	45 min	67 min
*1BL4050F 5.0Ah	50 min	85 min
*1BL4080F 8.0Ah	76 min	170 min

\*1 Recommended battery

**Cordless Vacuum Cleaner**

**VC001GL / VC002GL / VC003GL / VC004GL / VC005GL**

	VC001GL	VC002GL	VC003GL	VC004GL	VC005GL
Variable Speed	Capacity Dust / Water: 8 / 6 L				
Revolving Hose	Dust: 8 L				
Static Free Hose	Max Air Flow 3.2 m <sup>3</sup> /min				
	Max Sealed Suction 23 kPa				
	Continuous Use (min.) w/ BL4050F at Dial 1 / 5: 220 / 28				
	2.5 m/s <sup>2</sup> or less				
	70 dB(A) or less				
	Dimensions (L x W x H) 366 x 334 x 425 mm				
	(14-3/8 x 13-1/8 x 16-3/4")				
	Net weight 8.1 - 11.2 kg (17.9 - 24.7 lbs.)				

**Standard Equipment** : ALL: Floor Nozzle, Straight Pipe, Bent Pipe, Hose, Plastic Dust Bag, Stopper, Multi Hook, Battery, Charger

VC001GL / VC003GL: Plastic Dust Bag x10, Telescopic pipe assembly, Long Sash Nozzle

VC002GL / VC004GL: Plastic Dust Bag x10, Front Cuff (country-specific)

VC005GL: Paper Dust Bag, Telescopic pipe assembly, Long Sash Nozzle

The weight does not include accessories but battery cartridge(s). The lightest and heaviest combination weight of the appliance and battery cartridge(s) are shown in the table.

Items of standard equipment and specifications may vary by country or area.

**Makita Corporation**

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202201